



Dimock Update (1430 hrs., 2/21/12)

Gerald Heston to: Ron Borsellino, Kathy Hodgkiss, Dennis Carney, Bonnie Gross, Fran Burns, Gerald Heston, Richard Fetzer, Richard Rupert, Kelley Chase, Ann DiDonato, JohnJ Butler

02/21/2012 02:31 PM

From: Gerald Heston/R3/USEPA/US
To: Ron Borsellino/R3/USEPA/US@EPA, Kathy Hodgkiss/R3/USEPA/US@EPA, Dennis Carney/R3/USEPA/US@EPA, Bonnie Gross/R3/USEPA/US@EPA, Fran Burns/R3/USEPA/US@EPA, Gerald Heston/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA, Richard Rupert/R3/USEPA/US, Kelley Chase/R3/USEPA/US@EPA, Ann DiDonato/R3/USEPA/US@EPA, JohnJ Butler/R3/USEPA/US@EPA

Subcontractor preparing to install larger water tanks at three locations to improve efficiency of bulk water delivery. Task should be completed early next week.

Dimock Executive Summary							2/21/2012
	Surveys Received	Survey followup needed	Appointments Scheduled	Appointments to be scheduled	Splits with PADEP	Splits with Cabot	Sampling Done
CO&A List	20	1	20	1	6	5	18
Historical Sampling	43	3	43	4	34	34	39
Added on Criteria	1	0	1	0	0	0	0
Unaccounted	0	1	0	0	0	0	0
Subtotal	64	5	64	5	40	39	57
TOTALS	69		69				
*Unaccounted category included homes where phone disconnected, phone calls not returned, sampling status unknown or outside published area - not counted in appointment to be scheduled. Also note that the discrepancy between Sampling Done and Appointments Scheduled is because some homes shared a well and only one home was sampled.							

Gerald T. Heston, Chief
Eastern Response Branch (3HS31)
U. S. Environmental Protection Agency - Region 3
1650 Arch Street
Philadelphia, PA 19103

Phone: 215-814-3273
Fax: 215-814-3254